


1995
2025

 **SHDIATool**
PROFESSIONAL SUPPLIER



Better Quality, Better Future

SHANGHAI DIATool CO., LTD.



Brand Introduction



Our Brand “SHDIATool” comes from the abbreviation of “SHANGHAI DIAMOND TOOLS”.

The logo consists of three parts: icon of Saw Blade, Brand “SHDIATool” and our Company vision “Professional Supplier”. We use the steady and vibrant dark blue and black as main colors of our logo, to show our brand’s character of stability, innovation and vitality.



Company Profile



01 | Since 1995

Our company is one of the first practitioners of diamond tool industry in China. In 1995, our small workshop produced the first batch of sintered diamond saw blades. And then our products were sold to European market, that was our first step of the international business of diamond tools. Since then our products were constantly being tested and validated by global market.

We always focused on products with stable and professional quality, by insisting strict quality control and inspection system. Meanwhile, we kept investing in researching and developing new products to rich our product catalogue and meet customers’ various application requirement.

02 | Since now

We have specialized in this business line for more than 20 years, and we did win some good reputation in the global market.

We have established a complete diamond tools products line, which had been exported to all over the world, including North and South America, Europe, Mid East, Australia, Africa and so on.

Your inquiry will be highly appreciated and responded with our professional service. We sincerely hope to establish a long term business relationship with you based on mutual benefit.



Company Vision

Be a professional supplier of diamond tools with global influence



Company Mission

Make progress and share achievements with employees



Company Core Value

Make customers satisfied with our professional service and high quality products



- High-quality Products
- Professional Services
- Share Achievements

In 2018, we introduced a new production line for vacuum brazed diamond tools, which are more advantageous and became more popular in the global market.



In 2016, we began to expand our products line to meet customers' various application requirement, including cutting, drilling, grinding, polishing, engraving and so on. And we constantly strive to improve the capability of customization.

← Marketing System




- High-quality Products
- Professional Services
- Share Achievements

Company Qualification Certificate →



Symbols Explanation →

→ About Machine



C SHANGHAI DIATOOOL CO., LTD.

ontents

◆ Diamond Tools For Cutting

Diamond Blade for General Purpose
 Diamond Blade for Granite/Marble/Stone
 Diamond Blade for Concrete/Asphalt
 Diamond Blade for Ceramic/Porcelain/Dekton
 Vacuum Brazed Diamond Blade
 Electroplated Diamond Blade

C1-C7
 C8
 C9-C12
 C13-C19
 C20-C23
 C24-C26

C

◆ Diamond Tools For Drilling

Diamond Core Bit for General Purpose
 Diamond Core Bit for Masonry/Wall
 Diamond Core Bit for Concrete/Asphalt
 Vacuum Brazed Diamond Drill Bit
 Electroplated Diamond Drill Bit

D1-D2
 D3
 D4
 D5-D14
 D15

D

◆ Diamond Tools For Grinding

Diamond Cup Wheel
 Diamond Grinding Plate/Block
 PCD Grinding Wheel
 Engraving and Profiling Tools
 Vacuum Brazed Diamond Grinding Wheel/Disc
 Electroplated Diamond Grinding Wheel/Disc

G1-G4
 G5
 G6
 G7-G12
 G13-G14
 G15-G16

G

◆ Diamond Tools For Polishing

Wet Diamond Polishing Pad
 Dry Diamond Polishing Pad
 Diamond Floor Polishing & Cleaning Pad
 Diamond Hand Polishing Pad

P1-P4
 P5
 P6
 P7

P

◆ Accessory for Diamond Tools

Accessory for Cutting & Grinding Tools
 Accessory for Drilling Tools
 Accessory for Polishing Pads
 Others

A1
 A2-A5
 A6
 A7

A



For Drilling



DIAMOND CORE BIT FOR GENERAL PURPOSE

DRILLING

A670

High Frequency Welded Diamond Drill Bit for General Purpose (Gas1/2 & M14)



FEATURE & APPLICATIONS:

- Gas1 / 2 (external thread) - for CNC machine, M14 (internal thread) - for angle grinder
- For drilling hard Granite Marble, all nature Stone, Ceramic/Tile, Concrete...

Art. No.	Dia	Diamond Height	Length
A6700420	20mm	10mm	105mm
A6700425	25mm	10mm	105mm
A6700430	30mm	10mm	105mm
A6700435	35mm	10mm	105mm



A6702

Turbo segment also can be supplied

A672

High Frequency Welded Diamond Drill Bit for General Purpose




FEATURE & APPLICATIONS:

- Wet drilling, suitable for Marble, Granite, Artificial Stone, Ceramic Tile, etc

Art. No.	Dia	Diamond Height	Length
A6720820	20mm	8mm	68mm
A6720825	25mm	8mm	68mm
A6720835	35mm	8mm	68mm
A6720840	40mm	8mm	68mm
A6720845	45mm	8mm	68mm
A6720850	50mm	8mm	68mm
A6720868	68mm	8mm	68mm
A6720875	75mm	8mm	68mm

Thread: M14 or 5/8" -11; Diamond Grain #35/45

Round and triangular handles also can be supplied



DIAMOND CORE BIT FOR GENERAL PURPOSE

DRILLING

A688

Laser Welded Diamond Drill Bit with Protective Body for General Purpose



FEATURE & APPLICATIONS:

- Laser welded technology, drilling for hard Granite, Marble, all nature Stone, Concrete

Art. No.	Dia	Diamond Height	Length
A6880306	6mm	10mm	75mm
A6880308	8mm	10mm	75mm
A6880310	10mm	10mm	75mm
A6880412	12mm	10mm	100mm
A6880414	14mm	10mm	100mm
A6880418	18mm	10mm	100mm
A6880420	20mm	10mm	100mm
A6880425	25mm	10mm	100mm
A6880432	32mm	10mm	100mm
A6880435	35mm	10mm	100mm
A6880438	38mm	10mm	100mm
A6880445	45mm	10mm	100mm
A6880450	50mm	10mm	100mm
A6880458	58mm	10mm	100mm
A6880465	65mm	10mm	100mm
A6880475	75mm	10mm	100mm
A68804102	102mm	10mm	100mm

M14 or 5/8"-11 Flange all can be supplied

Laser welded Technology

makes the connection of the cutter head become more sturdy & inseparable, for the bases of long working life



Turbo segments

provide aggressive and smooth drilling, save your much times




PARAMETER DETAILS

Diameter : 12MM 14MM 18MM 20MM 25MM 32MM 35MM
38MM 45MM 50MM 58MM 65MM 75MM 102MM



PRODUCT APPLICATION

WIDELY USE



Recommended Machine:
Angle grinder

PRODUCT FEATURE



Dry or Wet using

Wet using will prolong the working life and get better drilling effect



PRODUCT FEATURE



Wet using

need to add enough water to cool



DIAMOND CORE BIT FOR MASONRY/WALL

DRILLING

A691

Laser Welded Diamond Drill Bit for Masonry/Wall



FEATURE & APPLICATIONS:

- Laser welding provide great welding strength;
- For Brick wall or Concrete block wall, Masonry, abrasive concrete products without rebar, plaster...

Art. No.	Dia	Diamond Height
A6910127	27mm	10mm
A6910132	32mm	10mm
A6910138	38mm	10mm
A6910142	42mm	10mm
A6910145	45mm	10mm
A6910152	52mm	10mm
A6910165	65mm	10mm
A6910168	68mm	10mm
A6910172	72mm	10mm
A6910182	82mm	10mm
A69101102	102mm	10mm
A69101117	117mm	10mm
A69101127	127mm	10mm
A69101152	152mm	10mm

M16 or 5/8"-11 thread; SDS PLUS or HEX shank
Total length can be customised (100 or 165mm)



This type of drill bit can be customized.



DIAMOND CORE BIT FOR CONCRETE/ASPHALT

DRILLING

A651

Laser Welded Diamond Drill Bit for Reinforced Concrete



FEATURE & APPLICATIONS:

- Wet use only, designed for drilling higher PSI concrete, concrete with medium level of rebar reinforcement, and other hard masonry.

Art. No.	Dia	Diamond Height	Length
A651025450	25mm	12mm	462mm
A651032450	32mm	12mm	462mm
A651040450	40mm	12mm	462mm
A651051450	51mm	12mm	462mm
A651063450	63mm	12mm	462mm
A651076450	76mm	12mm	462mm
A651102450	102mm	12mm	462mm
A651108450	108mm	12mm	462mm
A651127450	127mm	12mm	462mm
A651152450	152mm	12mm	462mm

1 1/4"-7 UNC thread; 1/2 BSP can be customized;
The length can be customized;
The segment type below also can be supplied.

This laser welded diamond assembled wet core bit can also be supplied.



Flat



Roof



Drum



Roof Turbo



Diagonal Great Wall



V Shape



Zigzag



Turbo



U-groove



Widely Use



It is suitable for drilling concrete, red brick, tile masonry, steel bar, asphalt, marble, rock, stone and other materials, air conditioning, staircase, highway airport, etc



Please pay attention to safety precautions when using
It is suitable for hand-held engineering drilling rigs
and professional engineering drilling rigs

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A853

Vacuum Brazed Diamond Drill Bit for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Dry/wet drilling for Porcelain Tile, Ceramic Tile, Granite, Marble, Stone...
- 6mm-16mm bits with wax inside helps cooling the bit



Red/Black/Gold
Different colors can also be customized



Art. No.	Dia	Diamond Height	Length
A8530610	6mm	10mm	60mm
A8530810	8mm	10mm	60mm
A8531010	10mm	10mm	60mm
A8531210	12mm	10mm	60mm
A8531410	14mm	10mm	60mm
A8531610	16mm	10mm	60mm
A8532010	20mm	10mm	60mm
A8532510	25mm	10mm	60mm
A8533010	30mm	10mm	60mm
A8533510	35mm	10mm	60mm
A8534010	40mm	10mm	60mm
A8534310	43mm	10mm	60mm
A8534510	45mm	10mm	60mm
A8535010	50mm	10mm	60mm
A8535510	55mm	10mm	60mm
A8536010	60mm	10mm	60mm
A8536510	65mm	10mm	60mm
A8537510	75mm	10mm	60mm

Larger diameters are also available;
5/8"-11&M14&M10 thread, can also be supplied;
The Length (60&75mm) and diamond height(10&15mm) can be customized;
The high-quality aluminum box suit can be customized;



A8532

Lightning tooth can be supplied



A8543

Serrated drill bits can also be supplied



A85365

Arrayed diamond drill bits can also be supplied

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

We can combine drill bits, saw blades, polishing pads, grinding wheels and accessories into a set and accept customization.



Art. No.	Dia	Diamond Height	Length
A85310M14K7T	6/8/10/12/16/20/25 30/35/45/55/68/100 HEX	10mm	60mm



Art. No.	Dia	Diamond Height	Length
A8546010K5T	6/8/10/25/35/50/65 10MM Finger Bit 2" Chamfer Bit/SDS	10mm	60mm



Art. No.	Dia	Diamond Height	Length
A85315M14K5T	6/6/8/20/35/50/68 20MM Finger Bit 2" Chamfer Bit/HEX	15mm	60mm



Art. No.	Dia	Diamond Height	Length
A85436010K1T	6/8/10/25/35/50/65 10MM Finger Bit 2" Chamfer Bit/HEX	10mm	60mm

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A865

Vacuum Brazed Diamond Drill&Mill Bit for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Grinding and drilling in one, used for processing Ceramic Tile, Porcelain Tile, Marble, Granite and other materials.



Other models of the same type



A8650
Triangle Shank



A8651

Art. No.	Dia	Diamond Height For Drilling	Diamond Height For Grinding	Length	Thread
A865020M14	20mm	5mm	30mm	60mm	M14
A86502058	20mm	5mm	30mm	60mm	5/8"-11
A865025M14	25mm	5mm	30mm	60mm	M14
A86502558	25mm	5mm	30mm	60mm	5/8"-11
A865035M14	35mm	5mm	30mm	60mm	M14
A86503558	35mm	5mm	30mm	60mm	5/8"-11
A865050M14	50mm	5mm	30mm	60mm	M14
A86505058	50mm	5mm	30mm	60mm	5/8"-11
A865068M14	68mm	5mm	30mm	60mm	M14
A86507558	75mm	5mm	30mm	60mm	5/8"-11

Art. No.	Dia	Diamond Height For Drilling	Diamond Height For Grinding	Length	Thread
A865020TRI	20mm	5mm	25mm	65mm	Triangle Shank
A865025TRI	25mm	5mm	25mm	65mm	Triangle Shank

Art. No.	Dia	Diamond Height For Drilling	Diamond Height For Grinding	Length	Thread
A8651103558	10-35mm	5mm	47mm	87mm	5/8"-11
A86511035M14	10-35mm	5mm	47mm	87mm	M14
A8651205058	20-50mm	5mm	52mm	92mm	5/8"-11
A86512050M14	20-50mm	5mm	52mm	92mm	M14

A866

Vacuum Brazed Diamond Drill&Chamfer Bit with Lightning Teeth for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Drilling and chamfering function integrated, for Ceramic Tile, Porcelain Tile, Marble, Granite etc. lightning tooth is good for heat dissipating.
- Lightning teeth is good for heat dissipating.



Art. No.	Dia	Diamond Height	Length	Thread
A866020M14	20mm	7mm	65mm	M14
A86602058	20mm	7mm	65mm	5/8"-11
A866025M14	25mm	7mm	65mm	M14
A86602558	25mm	7mm	65mm	5/8"-11
A866035M14	35mm	7mm	65mm	M14
A86603558	35mm	7mm	65mm	5/8"-11
A866040M14	40mm	7mm	65mm	M14
A86604058	40mm	7mm	65mm	5/8"-11
A866043M14	43mm	7mm	65mm	M14
A86604358	43mm	7mm	65mm	5/8"-11
A866051M14	51mm	7mm	65mm	M14
A86605158	51mm	7mm	65mm	5/8"-11
A866065M14	65mm	7mm	65mm	M14
A86606558	65mm	7mm	65mm	5/8"-11

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A8662

Vacuum Brazed Diamond Flume Drill Bit for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Vacuum brazed processing, be specially designed for drilling of water tanks and other stepped holes.

Art. No.	Dia	Diamond Height	Length	Thread
A8662406015	40-60mm	15mm	60mm	M14 5/8"-11
A8662456015	45-60mm	15mm	60mm	M14 5/8"-11
A8662456515	45-65mm	15mm	60mm	M14 5/8"-11
A8662507015	50-70mm	15mm	60mm	M14 5/8"-11



A8663

Triangle shank can also be supplied

A855

Vacuum Brazed Diamond Drill Bit with SDS PLUS Shank for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Dry/wet drilling for Porcelain Tile, Ceramic Tile, Granite, Marble, Stone...

Art. No.	Dia	Diamond Height	Length
A8553510SDS	35mm	10mm	75mm



Ceramic Tile



Porcelain Tile



Granite

Dry or Wet Using

WIDELY USE



Recommended Machine



Suitable for SDS PLUS Shank Electric Hammer Drill Machine!
Don't use impact mode!



VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A856

Vacuum Brazed Diamond Drill Bit with 1/4" Quick Fit Shank for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Dry/wet drilling for Porcelain Tile, Ceramic Tile, Granite, Marble, Stone...
- With wax inside helps cooling the bit

Art. No.	Dia	Diamond Height	Length
A8560610	6mm	10mm	68mm
A8560810	8mm	10mm	68mm
A8561010	10mm	10mm	80mm
A8561210	12mm	10mm	80mm
A8561410	14mm	10mm	80mm

Triangle Shank, HEX Shank and Round Shank can also be supplied;
The Length and diamond height can be customized.

Other shapes of shank



A8562
Quick Fit HEX



A8563
Quick Fit HEX



A858
HEX Shank



A859
Round Shank



A860
Triangle Shank

A857

Vacuum Brazed Diamond Drill Bit with HEX Shank for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Dry/wet drilling for Porcelain Tile, Ceramic Tile, Granite, Marble, Stone...

Art. No.	Dia	Diamond Height	Length
A8572010	20mm	10mm	80mm
A8572510	25mm	10mm	80mm
A8573210	32mm	10mm	80mm
A8573510	35mm	10mm	80mm
A8575010	50mm	10mm	80mm
A8575510	55mm	10mm	80mm
A8576810	68mm	10mm	80mm



A8571

Economical drill bits can also be supplied.

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A860

Vacuum Brazed Diamond Drill Bit with Triangle Shank for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Dry/wet drilling for Porcelain Tile, Ceramic Tile, Granite, Marble, Stone...
- 6mm-16mm bits with wax inside helps cooling the bit

Art. No.	Dia	Diamond Height	Length
A8600610	6mm	10mm	65mm
A8600810	8mm	10mm	65mm
A8601010	10mm	10mm	65mm
A8602010	20mm	10mm	65mm
A8602510	25mm	10mm	65mm
A8602810	28mm	10mm	65mm
A8603010	30mm	10mm	65mm
A8603210	32mm	10mm	65mm
A8603510	35mm	10mm	65mm
A8603810	38mm	10mm	65mm
A8604010	40mm	10mm	65mm
A8604510	45mm	10mm	65mm
A8605010	50mm	10mm	65mm
A8605510	55mm	10mm	65mm
A8606010	60mm	10mm	65mm
A8606510	65mm	10mm	65mm
A8606810	68mm	10mm	65mm



A8602

Serrated drill bits can also be supplied

A864

Vacuum Brazed Diamond Drill Bit with HEX Shank for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Double drill bit, for drilling Porcelain Tile, Ceramic Tile, Granite, Marble, Stone, more convenient.

Art. No.	Dia	Diamond Height	Length
A8646610	6-6mm	10mm	80mm
A8646810	6-8mm	10mm	80mm

A869

Vacuum Brazed Diamond Back Bolt Drill Bit for Stone



FEATURE & APPLICATIONS:

- Drilling and larging of Granite, Marble, Concrete, Ceramics and other materials; Widely used for external support of curtain wall

Art. No.	Dia	Diamond Height	Work Length/Length	Thread
A8691001	9.7mm	4mm	20/48mm	M14

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A8671

Vacuum Brazed Diamond Finger Bit for Ceramic/Porcelain/Stone




FEATURE & APPLICATIONS:

- Enlarge, shape and round bevel existing holes in Ceramic Tile, Porcelain Tile, Marble, Granite etc



HEX Shank

Art. No.	Dia	Diamond Height	Length	Thread
A86711058	10mm	50mm	75mm	5/8"-11
A867110M14	10mm	50mm	75mm	M14
A867110M10	10mm	50mm	75mm	M10
A86711558	15mm	50mm	75mm	5/8"-11
A867115M14	15mm	50mm	75mm	M14
A867115M10	15mm	50mm	75mm	M10
A86712058	20mm	50mm	65mm	5/8"-11
A867120M14	20mm	50mm	65mm	M14
A867120HEX	20mm	50mm	65mm	HEX
A867120M10	20mm	50mm	65mm	M10
A86712558	25mm	50mm	65mm	5/8"-11
A867125M14	25mm	50mm	65mm	M14
A867125HEX	25mm	50mm	65mm	HEX
A867125M10	25mm	50mm	65mm	M10
A86713058	30mm	50mm	65mm	5/8"-11
A867130M14	30mm	50mm	65mm	M14
A867130M10	30mm	50mm	65mm	M10
A86713558	35mm	50mm	65mm	5/8"-11
A867135M14	35mm	50mm	65mm	M14
A867135M10	35mm	50mm	65mm	M10



A8677

Top radian can is also be supplied

A8673

Vacuum Brazed Diamond Finger Bit for Ceramic/Porcelain/Stone (2 sizes)



FEATURE & APPLICATIONS:

- One grinding rod, with two sizes of diameters, meets the processing needs of different apertures, with high cost performance and cost saving
- Enlarge, shape and round bevel existing holes in Ceramic Tile, Porcelain Tile, Marble, Granite etc



Art. No.	Dia	Diamond Height	Length	Thread
A86731025M14	10-25mm	50mm	65mm	M14
A8673102558	10-25mm	50mm	65mm	5/8"-11
A86731025M10	10-25mm	50mm	65mm	M10
A86732035M14	20-35mm	50mm	65mm	M14
A8673203558	20-35mm	50mm	65mm	5/8"-11
A86732035M10	20-35mm	50mm	65mm	M10

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A8676

Vacuum Brazed Diamond Finger&Chamfer Bit for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Integrated grinding and chamfering, used for Porcelain, Hard Ceramic, Marble and Granite




Art. No.	Dia	Diamond Height For Grinding	Diamond Height For Chamfering	Length	Thread
A867662558	6-25mm	36mm	16.5mm	71.5mm	5/8"-11
A8676625M14	6-25mm	36mm	16.5mm	71.5mm	M14
A8676103558	10-35mm	30mm	22.7mm	62.7mm	5/8"-11
A86761035M14	10-35mm	30mm	22.7mm	62.7mm	M14
A8676205058	20-50mm	30mm	27mm	67mm	5/8"-11
A86762050M14	20-50mm	30mm	27mm	67mm	M14
A86761035HEX	10-35mm	30mm	22.7mm	77.7mm	HEX
A86762050HEX	20-50mm	30mm	27mm	82mm	HEX



HEX Shank

Hex shank can also be supplied;



WIDELY USE



Recommended Machine:
Angle grinder



A8678

Vacuum Brazed Diamond Finger&Chamfer Bit for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- One grinding rod, with two sizes of diameters, meets the processing needs of different apertures, with high cost performance and cost saving
- Integrated grinding and chamfering, used for Porcelain, Hard Ceramic, Marble and Granite



Art. No.	Dia	Diamond Height For Grinding	Diamond Height For Chamfering	Length	Thread
A867810254858	10-25-48mm	60mm	30mm	105mm	5/8"-11
A8678102548M14	10-25-48mm	60mm	30mm	105mm	M14

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A868

Vacuum Brazed Diamond Chamfer Bit for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- For bevelling, enlarging, grinding and polishing the exsist holes in Ceramic Tile, Porcelain Tile, Marble, Granite etc



HEX Shank

Art. No.	Dia	Diamond Height	Length	Thread
A868020M14	0-20mm	20	40	M14
A86802058	0-20mm	20	40	5/8"-11
A868020M10	0-20mm	20	40	M10
A868020HEX	0-20mm	20	50	HEX
A868025M14	0-25mm	25	35	M14
A86802558	0-25mm	25	35	5/8"-11
A868030M14	0-30mm	30	40	M14
A86803058	0-30mm	30	40	5/8"-11
A868035M14	2-35mm	35	45	M14
A86803558	2-35mm	35	45	5/8"-11
A868035M10	2-35mm	35	45	M10
A868035HEX	2-35mm	35	65	HEX
A868040M14	0-40mm	40	50	M14
A86804058	0-40mm	40	50	5/8"-11
A868045M14	0-45mm	45	55	M14
A86804558	0-45mm	45	55	5/8"-11
A868048M14	0-48mm	48	58	M14
A868045M14	0-48mm	48	58	5/8"-11
A868050M14	0-50mm	46	55	M14
A86805058	0-50mm	46	55	5/8"-11
A868050M10	0-50mm	46	55	M10
A868050HEX	0-50mm	43.5	73.5	HEX
A868375M14	3-75mm	70	80	M14
A86837558	3-75mm	70	80	5/8"-11
A868075M14	35-75mm	55	65	M14
A86807558	35-75mm	55	65	5/8"-11
A868075M10	35-75mm	55	65	M10
A868082M14	27-82mm	49	60	M14
A86808258	27-82mm	49	60	5/8"-11
A868082M10	27-82mm	49	60	M10

A8682

Vacuum Brazed Diamond Chamfer&Finger Bit for Ceramic/Porcelain/Stone



FEATURE & APPLICATIONS:

- Chamfering and grinding Integrated, used for Ceramic Tile, Porcelain Tile, Marble, Granite etc



Art. No.	Dia	Diamond Height For Chamfering	Diamond Height For Grinding	Length	Thread
A868202058	0-20mm	20mm	30mm	60mm	5/8"-11
A8682020M14	0-20mm	20mm	30mm	60mm	M14
A868202558	0-25mm	25mm	30mm	65mm	5/8"-11
A8682025M14	0-25mm	25mm	30mm	65mm	M14
A868203558	2-35mm	33.5mm	30mm	73.5mm	5/8"-11
A8682035M14	2-35mm	33.5mm	30mm	73.5mm	M14
A868205058	0-50mm	42mm	30mm	82mm	5/8"-11
A8682050M14	0-50mm	42mm	30mm	82mm	M14

VACUUM BRAZED DIAMOND DRILL BIT

DRILLING

A867

Vacuum Brazed Diamond Drill Bit for Mortar



FEATURE & APPLICATIONS:

- Used for fine removal of mortar between bricks and stones. it is more suitable and easier to be used for complex and fine work, especially vertical joints and natural stone work.

Art. No.	Dia	Diamond Height	Length	Thread
A867208M14	8mm	25mm	55mm	M14
A86720858	8mm	25mm	55mm	5/8"-11
A867508M14	8mm	100mm	130mm	M14
A86750858	8mm	100mm	130mm	5/8"-11
A867407ROU	8mm	74mm	117.5mm	Round Shank



A8674

Round shank can also be supplied



• High-quality Diamond Grains #40/45

ensure the sharpness and excellent finish



• Flexible and Multi-functional

can remove mortar impurities, expand holes and grind edges

• Vacuum Brazed Technology

improve product performance and prolong service life

WIDELY USE

Recommended Machine:
Angle grinder



Mortar



Masonry



Brick



Marble



Artificial Stone




Ceramic tile




Remove Mortar

Dry or Wet Using



Enlarging/shaping



Edge grinding

Dry or Wet Using

ELECTROPLATED DIAMOND DRILL BIT

DRILLING

A951

Electroplated Diamond Drill Bit for General Purpose



FEATURE & APPLICATIONS:

- Electroplated process with strong economic applicability;
- Drilling for Marble, Ceramic Tile and other materials...



Art. No.	Dia	Diamond Height	WorkLength/Length	Shank
A9510506	6mm	5mm	35/65mm	Round
A9510508	8mm	5mm	35/65mm	Round
A9510510	10mm	5mm	35/65mm	Round
A9510512	12mm	5mm	35/65mm	Round
A9510520	20mm	5mm	35/65mm	Triangle
A9510525	25mm	5mm	35/65mm	Triangle
A9510530	30mm	5mm	35/65mm	Triangle
A9510535	35mm	5mm	35/65mm	Triangle
A9510540	40mm	5mm	35/65mm	Triangle
A9510545	45mm	5mm	35/65mm	Triangle

Other dia can be supplied



Our One-stop Service



Demand Customization

Provide one-stop demand customization service, you put forward product demand, we try our best to meet it, and provide the best product solution.



Brand Design and Packaging

Provide complete product brand design and packaging, and provide professional packaging solutions for your brand building.



Quality Control

With a complete and rigorous quality control process, the product quality and customer interests are guaranteed to the greatest extent.



Warehousing and Logistics

Provide high-quality warehousing and logistics services, and deliver high-quality products safely in the most cost-effective way.



After-sales Service

Provide high-quality after-sales service; we will never treat product problems lightly; Product quality is the core part we value most.



Web: www.diatoolco.com

Tel: 0086-21-64420724 Fax: 0086-21-54420727

Email: info@diatoolco.com, diatool@gmail.com

Office Address: Room 518, No.118 Huguang Road,
Minhang District, Shanghai

Factory Address: 155 Xinke Road, Chengnan Economic
New Zone, Gaoyou, Jiangsu