


1995
2025

 **SHDIATool**
PROFESSIONAL SUPPLIER



Better Quality, Better Future

SHANGHAI DIATool CO., LTD.



Brand Introduction



Our Brand “SHDIATool” comes from the abbreviation of “SHANGHAI DIAMOND TOOLS”.

The logo consists of three parts: icon of Saw Blade, Brand “SHDIATool” and our Company vision “Professional Supplier”. We use the steady and vibrant dark blue and black as main colors of our logo, to show our brand’s character of stability, innovation and vitality.



Company Profile



01 | Since 1995

Our company is one of the first practitioners of diamond tool industry in China. In 1995, our small workshop produced the first batch of sintered diamond saw blades. And then our products were sold to European market, that was our first step of the international business of diamond tools. Since then our products were constantly being tested and validated by global market.

We always focused on products with stable and professional quality, by insisting strict quality control and inspection system. Meanwhile, we kept investing in researching and developing new products to rich our product catalogue and meet customers’ various application requirement.

02 | Since now

We have specialized in this business line for more than 20 years, and we did win some good reputation in the global market.

We have established a complete diamond tools products line, which had been exported to all over the world, including North and South America, Europe, Mid East, Australia, Africa and so on.

Your inquiry will be highly appreciated and responded with our professional service. We sincerely hope to establish a long term business relationship with you based on mutual benefit.



Company Vision

Be a professional supplier of diamond tools with global influence



Company Mission

Make progress and share achievements with employees



Company Core Value

Make customers satisfied with our professional service and high quality products





- High-quality Products
- Professional Services
- Share Achievements



SHDIATool
PROFESSIONAL SUPPLIER




Company Qualification Certificate →



Symbols Explanation →

→ About Machine



C SHANGHAI DIATOOOL CO., LTD.

ontents

◆ Diamond Tools For Cutting

Diamond Blade for General Purpose
 Diamond Blade for Granite/Marble/Stone
 Diamond Blade for Concrete/Asphalt
 Diamond Blade for Ceramic/Porcelain/Dekton
 Vacuum Brazed Diamond Blade
 Electroplated Diamond Blade

C1-C7
 C8
 C9-C12
 C13-C19
 C20-C23
 C24-C26

C

◆ Diamond Tools For Drilling

Diamond Core Bit for General Purpose
 Diamond Core Bit for Masonry/Wall
 Diamond Core Bit for Concrete/Asphalt
 Vacuum Brazed Diamond Drill Bit
 Electroplated Diamond Drill Bit

D1-D2
 D3
 D4
 D5-D14
 D15

D

◆ Diamond Tools For Grinding

Diamond Cup Wheel
 Diamond Grinding Plate/Block
 PCD Grinding Wheel
 Engraving and Profiling Tools
 Vacuum Brazed Diamond Grinding Wheel/Disc
 Electroplated Diamond Grinding Wheel/Disc

G1-G4
 G5
 G6
 G7-G12
 G13-G14
 G15-G16

G

◆ Diamond Tools For Polishing

Wet Diamond Polishing Pad
 Dry Diamond Polishing Pad
 Diamond Floor Polishing & Cleaning Pad
 Diamond Hand Polishing Pad

P1-P4
 P5
 P6
 P7

P

◆ Accessory for Diamond Tools


Accessory for Cutting & Grinding Tools
 Accessory for Drilling Tools
 Accessory for Polishing Pads
 Others

A1
 A2-A5
 A6
 A7

A



For Polishing




WET DIAMOND POLISHING PAD

POLISHING

A601

Resin Bond Flexible Diamond Wet Polishing Pads for Stone (Straight-grained)




A6010303


FEATURE & APPLICATIONS:

- Professional quality, high efficient and long life;Flexible, suitable for different shape polishing;
- For polishing Granite,Marble or Artificial Stone...


Art. No.	Dia	Thickness	Grit Size
A6010303A	3"(80mm)	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6010303	3"(80mm)	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6010403A	4"/100mm	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6010403	4"/100mm	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6010503	5"/125mm	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF



A6010303A




A6010403A



A6010503

A602

Resin Bond Flexible Diamond Wet Polishing Pads for Stone (Spiral-grained)




A6020403A


FEATURE & APPLICATIONS:

- Professional quality, high efficient and long life;Flexible, suitable for different shape polishing;
- For polishing Granite,Marble or Artificial Stone...


Art. No.	Dia	Thickness	Grit Size
A6020303A	3"(80mm)	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6020303	3"(80mm)	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6020403A	4"/100mm	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6020403	4"/100mm	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF
A6020503	5"/125mm	3mm	#50/#100/#200/#400/#800 #1500/#3000/#BUFF



A6020303A



A6020403




A6020503

WET DIAMOND POLISHING PAD

POLISHING

A605

Resin Bond Flexible Diamond Wet Polishing Pads with Metal Bond for Stone (Flower-style)




FEATURE & APPLICATIONS:

- There are metal bond segments ,high sharpness; It will be helpful to improve the working efficiency and performance;Fast polishing, save a lot of working time;
- For polishing Granite,Marble or Artificial Stone...

Art. No.	Dia	Thickness	Grit Size
A6050403	4"(100mm)	3mm	#50/#100/#200/#400

A615


Resin Bond Flexible Diamond Wet Polishing Pads with Metal Bond for Stone (Spiral-grained)



FEATURE & APPLICATIONS:


- Professional quality, high efficient and long life;Flexible, suitable for different shape polishing;
- For polishing Stone,Granite,Marble,Artificial Stone and Concrete

Art. No.	Dia	Thickness	Grit Size
A6150401	4"(100mm)	3mm	#1/#2/#3#4#5



A631

Resin Bond Flexible Bowl Shape Diamond Wet Polishing Pads for Stone (Straight-grained)



FEATURE & APPLICATIONS:

- Bowl-shaped design for special application;
- For polishing Granite,Marble or Artificial Stone...

Art. No.	Dia	Thickness	Grit Size
A63104	4"(100mm)	3mm	#50/#100/#200/#400/#800 #1500/#3000/#WBUFF

WET DIAMOND POLISHING PAD

POLISHING

A612

Resin Bond Flexible Diamond Dry&Wet Polishing Pads for Stone (Quadrangle-grained)




FEATURE & APPLICATIONS:

- Dry & Wet polishing, Super sharp, Fast polishing;
- For polishing Granite, Marble or Artificial Stone...

Art. No.	Dia	Thickness	Grit Size
A6120425	4"(100mm)	2mm	#50#100#200#400#800#1500#3000

A617

Resin Bond Flexible Diamond Dry&Wet Polishing Pads for Stone (3-Steps)






FEATURE & APPLICATIONS:

- High efficiency, good flexibility and excellent finishing;
- For polishing Granite, Marble or Artificial Stone...

Art. No.	Dia	Thickness	Grit Size
A6170104	4"(100mm)	3mm	#1/#2/#3
A6170204	4"(100mm)	3mm	#1/#2/#3
A6170304	4"(100mm)	3mm	#1/#2/#3

Other requirements for larger sizes can be customized, please contact us.




WET DIAMOND POLISHING PAD

POLISHING

A622

Resin Bond Diamond Dry&Wet Polishing Pads for Stone



FEATURE & APPLICATIONS:

- 10MM working thickness, longer service life;
- Special design for polishing Granite Marble, Terrazzo, Concrete...

Art. No.	Dia	Thickness	Grit Size
A6220103	3"(80mm)	10mm	#50#100#200#400#800 #1500#3000
A6220104	4"(100mm)	10mm	#50#100#200#400#800 #1500#3000
A6230103	3"(80mm)	10mm	#50#100#200#400#800 #1500#3000
A6230104	4"(100mm)	10mm	#50#100#200#400#800 #1500#3000




A623

Flower-type can also be supplied.

A619

Sponge Fiber Diamond Wet Polishing Pads for Stone



FEATURE & APPLICATIONS:

- Open network structure, flexibility and durability, effective heat dissipation and light;
- For softer stones, such as Marble, Sandstone, Jade, Cream-Colored Stone, Travertine, Basalt, Artificial Stone, Terrazzo Floor...

Art. No.	Dia	Thickness	Grit Size
A6190410	4"(100mm)	10mm	#150/#300/#500/#1000/#2000 #3000/#6000/#10000
A6200320	3"(80mm)	25mm	#1000/#3000/#10000
A6200420	4"(100mm)	25mm	#1000/#3000/#10000



A620

20mm thickness can also be supplied.

WET POLISHING

! WARNING

2500RPM / Recommended speed

4000RPM / Maximum speed

We recommend to use angle grinder for polishing with speed control, less than 4000rpm, otherwise there is a risk of the disk flying off.

PRODUCT

PRODUCT

FEATURE

WIDELY USE

Marble Granite Recommended Machine: Angle Grinder

Porcelain tile Artificial Stone

PRODUCT

FEATURE

Nylon backed
Nylon backed pads for easy connection and removal


Good heat dissipation
Workpiece surface not overheat discoloration

DRY DIAMOND POLISHING PAD

POLISHING

A611

Resin Bond Flexible Diamond Dry Polishing Pads for Stone






FEATURE & APPLICATIONS:

- Dry polishing, working without water will cause convenient less pollution
- For polishing Granite, Marble or Artificial Stone...

Art. No.	Dia	Thickness	Grit Size
A6110315	3"(80mm)	1.5mm	#30/#50/#100/#200/#400/#800
A6110415	4"(100mm)	1.5mm	#30/#50/#100/#200/#400/#800
A6110515	5"(125mm)	1.5mm	#30/#50/#100/#200/#400/#800

Other shapes can also be supplied




DIAMOND FLOOR POLISHING & CLEANING PAD

POLISHING

A635


Resin Bond Diamond Dry&Wet Polishing Pads for Stone (Thickened)



FEATURE & APPLICATIONS:

- 4MM working thickness, long service life;
- Special design for Concrete polishing

Art. No.	Dia	Working Thickness	Diamond Grit
A6350104	4"(100mm)	4mm	#50/#100/#200/#400/#800
A6360104	4"(100mm)	6mm	#30/#50/#100/#200/#400/#800
A6370104	4"(100mm)	6mm	#30/#50/#100/#200/#400/#800




A636

6MM working thickness can also be supplied.




A637

9MM working thickness can also be supplied.



A638

Resin Bond Diamond Dry&Wet Polishing Pads for Concrete



FEATURE & APPLICATIONS:

- 10MM working thickness, strong grinding force, good durability;
- Special design for Concrete polishing (Not recommended for very soft concrete)

Art. No.	Dia	Thickness	Grit Size
A6380103	3"(80mm)	10mm	#50,#100,#200,#400,#800 #1500,#3000
A6380104	4"(100mm)	10mm	#50,#100,#200,#400,#800 #1500,#3000

Other requirements for larger sizes can be customized, please contact us.

DIAMOND HAND POLISHING PAD

POLISHING

A616


Resin Bond Flexible Diamond Dry&Wet Hand Polishing Pads for General Purpose



FEATURE & APPLICATIONS:


- Very flexible and convenient, and can easily polish and repair the inaccessible areas of grinders, angle grinders and other machines;
- For polishing all kinds of Stone, Concrete, Ceramic Tile, etc;

Art. No.	Dia	Thickness	Grit Size
A6161204502T1	120*45mm	2mm	#50#100#200#400#800 #1500#3000#Buff



A985

Electroplated Diamond Hand Polishing Pads for General Purpose



A9851



A9852



A9853
Electroplated



A9853
Resin

FEATURE & APPLICATIONS:

- Comfortable for holding; Less harmful dust, and less heat is generated by hand polishing;
- For hand polishing Granite, Marble, Glass and Concrete...

Art. No.	Size	Diamond Grit
A98519055	90x55mm	#50, #100, #200, #400, #600, #800
A98529055	90x55mm	#50, #100, #200, #400, #600, #800
A98539055	90x55mm	Electroplated #60, #100, #200, #400 Resin # 800, #1500, #3000



Our One-stop Service



Demand Customization

Provide one-stop demand customization service, you put forward product demand, we try our best to meet it, and provide the best product solution.



Brand Design and Packaging

Provide complete product brand design and packaging, and provide professional packaging solutions for your brand building.



Quality Control

With a complete and rigorous quality control process, the product quality and customer interests are guaranteed to the greatest extent.



Warehousing and Logistics

Provide high-quality warehousing and logistics services, and deliver high-quality products safely in the most cost-effective way.



After-sales Service

Provide high-quality after-sales service; we will never treat product problems lightly; Product quality is the core part we value most.



Web: www.diatoolco.com

Tel: 0086-21-64420724 Fax: 0086-21-54420727

Email: info@diatoolco.com, diatool@gmail.com

Office Address: Room 518, No.118 Huguang Road,
Minhang District, Shanghai

Factory Address: 155 Xinke Road, Chengnan Economic
New Zone, Gaoyou, Jiangsu